



General Equipment list (Provisional) - North America

GENERAL SPECIFICATIONS_____

		_
 Overall Length (L.O.A)*: 	9,10 m	29'10"
 Hull length: 	7,97 m	26'2"
Overall width:	2,99 m	9'10"
Hull Beam:	2,97 m	9'9"
Draft (min/max):	0,50 - 0,90 m	1'5" - 2'11"
 Air draft: 		
- without T-Top:	2,17 m	7'1"
- with T-Top:	2,82 m	9'3"
 Light displacement (EC): 	3 354 kg	7,392 lbs
 Unladen displacement : 	2 500 kg	5,510 lbs
Fuel tanks:		
- standard:	2 x 200 L	2 x 53 US Gal
- Option:	2 x 288 L	2 x 76 US Gal
 Water tank: 	100 L	26 US Gal
 Max engine certification: 	500 HP	500 HP
 Driving shaft length: 		
- Single engine	XXL / 762 mm	30"
- Twin engine	XL / 635 mm	25"
		ı

^{* (}Option: Swim platform & Bowsprit, without engine)

ARCHITECTS / DESIGNERS _

- Development: Bénéteau POWERBOATSDesigners: Style & Design

EC CERTIFICATION

- Category B 6 peopleCategory C 10 people

AIR STEP SYSTEM®_____

- R.L. JEANTET
- P. TABLEAU
- M. TRONQUEZ











Flyer 9 SPACEdeck

General Equipment list (Provisional) - North America

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Technology: Air Step ®
- Patent: Beneteau

Composition:

- Sandwich (polyester resin fiberglass balsa core)
- · White hull
- · Winching ring on bow

DECK

Composition:

• Sandwich (polyester resin - fiberglass - balsa core)

DECK EQUIPMENT

MOORING - ANCHORING GEAR

- · Stainless steel bow fitting with roller
- · Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Forward cleats + 2 Cleats amidships + 2 Aft cleats in aluminum, 250 mm / 10"

SAFETY ON DECK

- · Stainless steel forward hand rail
 - Elegance version: Black lacquered stainless steel forward hand rail
- · 2 Catwalks
- · Wide sideways around the consol:
 - portside: 0,37 m / 1'3"
 - starboard: 0,37 m / 1'3"

COCKPIT

- Wide and deep self-bailing cockpit (Freeboard: 0,78 m / 2'7")
- 3 person cockpit seat with fixed backrest and stainless steel hand rail: 1,60 x 0,44 m / 5'3" x 1'5"

Elegance version: 3 person cockpit seat with black hand rails and backrest that can be converted into a sun deck 1,60 x 0,90 m / $5'3" \times 2'11"$

- · Removeable teak cockpit table with 3 integrated cup holders
- 1 Large lockable central cockpit locker with gas piston assisted opening
- Stowage under the central cockpit seat (BIB location)
- Stowage under the cockpit seat
- Rotomolded fuel tanks (2 x 200 L / 2 x 53 US Gal) at the bottom of the cockpit compartment, in waterproof and ventilated compartment
- 2 Fuel filler on aft freeboards (port and starboard)
- · 2 access points to the bathing platform
- · 2 safety gates
- Telescopic swimming ladder beneath port side platform, with hand rail
- · Cockpit shower
- All-round light on samson post
- Navigation lights (port and starboard)
- Bench seat in front of console with arm rest and 2 hand rails
- Tilting side platform with mechanical mechanism (Length: 1,60 m / 5'3" x Height: 0,85 m / 2'9")
- 4 Forward cup holders
- 4 Cup holders in cockpit
- 2 Rod holders
- · 2 Handrails

STEERING STATION

- · Windscreen PMMA light grey tinted
- Handrail around the windscreen
- Center consol
- Dashboard with location for electronics, max. 12" screen, rpm and trim
- Fuel gauge
- USB socket
- · Steering wheel
- Location for top gas throttle (Throttle and instruments delivered with pre-rigging)
- Fitted footrests
- · Hydraulic steering
- leaning post / High comfort pilot and copilot bench seat with built-in function Bolster
- · Hatch cover under the leaning post
- Co-pilot hand rail
- · Cabin access through sliding door in translucent grey PMMA

OUTSIDE KITCHEN

- · Sink with 2 bowls
- Teak counter-top
- Space for gas oven (In Comfort trim level)

INTERIOR

- Woodwork Alpi Mat Walnut
- · Brown oak laminated floors
- Interior cushions in Cushy Limestone upholstery (optional extra)

FORWARD CABIN

Headroom = 0.73 - 1.81 m / 2'5" - 6'

- Stowage compartments in wood (portside / starboard / forward)
- Access to battery switch/fuse box
- Optional mattress (2,00 2,25 m / 6'7" x 7'5" max)
- · Lighting from 2 ceiling lights
- · Ventilation provided by one opening porthole

HEAD

Headroom = 1,81 m / 6'

- Space for optional WC
- Sink
- Shower (in trim level)
- Access hatch to service compartment under washbasin
- · Rail for storage
- Mirror
- Ventilation provided by one opening porthole
- · Lighting from 1 ceiling light
- Attachment system for cabin ladder

MID-CABIN

Headroom = 0.49 m / 1'7"

- Mattress 1,84 x 1,40 m / 6'0" x 4'7" (optional extra)
- · Storage cubbyhole
- Technical access
- · Lighting from 1 ceiling light



Flyer 9 SPACEdeck

General Equipment list (Provisional) - North America

ELECTRICITY

- · 12 V electrical panel
- Installation for engine batteries delivered with the pre-rigging or refrigerator (Maximum: 2 batteries not delivered)

PLUMBING

- 1 Manual bilge pump
- 1 Electric bilge pump
- · Pressured cold water
- Hot water system on shore supply (Comfort Trim package)
- Water drain plug

VERSIONS

STANDARD UPHOLSTERY VERSION

- PVC Marlin Auster upholstery
 - Fixed cockpit aft bench seat
 - Bloster leaning post bench seat for pilot and co-pilot
 - Seat in front of the console
- · Stainless steel pulpits

ELEGANCE UPHOLSTERY VERSION

- PVC Silvertex Plata + Cognac upholstery
- Cockpit bench seat, with seat back convertible to sun recliner (1,60 x 0,90 m / 5'3" x 2'11")
- Bolster leaning post bench seat for pilot and co-pilot
- Seat in front of console with arm rest
- Face-to-face bench seat with backrest and stowage
- Extension for sun deck (1,80 x 1,25 m / 5'11" x 4'1")
- · Built-in forward bimini
- · Black pulpits

TRIM LEVEL & PACKS

TRIM LEVEL _

	ESSE	ESSENTIAL		COMFORT	
	Twin engine	Single engine	Twin engine	Single engine	
Electric windlass	•			•	
Extended swim platform					
49 L refrigerator in the cockpit	-	•	•		
Additional battery pre-wiring for refrigerator		•		•	
25 L water heaterElectrical circuit with shore power socket + charger					
External gas cooker					

ELECTRONICS PACKS _

ELECTRONIC PACK

- Multifunction 9" GARMIN ECHOMAP UHD 92 SV screen (chart not included)
- GARMIN GT21-TH Sensor

ELECTRONIC - UPGRADED PACK

- Multifunction 12" GARMIN GPSMAP 8412 XSV screen (chart not included)
- GARMIN GT21-TH Sensor

SOUND PACK

- Fusion MS-RA70N
- 4 Exterior speakers (50 W)

SOUND SIGNATURE PLUS PACK

- Fusion MS-RA70N
- Amp (1 600 W)
- Interior:
 - 2 Signature sport chrome speakers (230 W), blue LED
- Exterior:
- 4 Signature sport chrome speakers (230 W), blue LED
- Subwoofer (450 W)



Flyer 9 SPACEdeck

General Equipment list (Provisional) - North America

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- · Mattress (Forward cabin + Portside seating)
- Mattress (Mid-cabin)
- 8 000 BTU air conditioning on shore power socket
- 8 000 BTU air conditioning with battery power supply
- · Direct fresh water intake from the shore
- · Marine toilet + Sewage tank
- Fresh water electric toilet + Sewage tank

EXTERIOR OPTIONS

- · Complete mooring/anchoring kit
- · Bowsprit without swim ladder
- Swimming ladder for bowsprit
- Stainless steel bimini (Steering station)
- · Aft bimini extension for cockpit
- · Stainless steel T-Top (polyester roof/extension of graphite canvas cockpit awning)
- Pilot protection for T-Top
- · Rack for T-Top
- Deck searchlight for T-Top (LED strip)
- 5 Rod holders on T-Top
- · Foldaway bench seat to starboard
- · Reclining bench seat behind the leaning post
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console
- Protective cases: Cockpit bench seat + leaning post + console + Seat in front of the console + Front seat
- · Water ski mast (Cradle)
- Solid wood cockpit
- · Solid wood cockpit + Swim platforms
- Teak cockpit table with telescopic pedestal, which can be converted into a sun deck (with sun deck upholstery)
- · Fishing station (replacing the cockpit bench seat): Fishpond, Storage, Rod holders, Fold-up seat
- 2 Rod stowage compartments in the freeboards

ELECTRICAL SYSTEM

- · LED courtesy light in cockpit
- Underwater lights (x2)
- Horn

ENGINE _

- · Bow thruster (battery not delivered)
- Fuel tank 2 x 288 L (instead of standard 2 x 200 L)
- · Lenco electric trim tabs
- · Zipwake automatic trim system
- · Bracket mandatory for single engine
- Suzuki Mechanical Throttle Shift keyless pre-rigging (2 x 150-250 CV/HP)
- Suzuki mechanic NOkeyless pre-rigging (2 x DF250TX ZX CV/HP)
- Suzuki Digital DTS Throttle Shift keyless pre-rigging (1 x 300-350 CV/HP)
- Suzuki Digital DTS Throttle Shift keyless pre-rigging (2 x 150-250 CV/HP)
- Honda Mechanical Throttle Shift top pre-rigging (2 x 150-250 CV/HP)
- Yamaha Digital DTS Throttle Shift pre-rigging (2 x 200-250 CV/HP)
- Mercury Digital DTS Throttle Shift pre-rigging (1 x 300-400 CV/HP Verado) Mercury Digital DTS Throttle Shift pre-rigging (2 x 175-225 CV/HP Verado)
- Mercury Digital DTS Throttle Shift pre-rigging (2 x 250 CV/HP Verado)
 Mercury pre-rigging Joystick (2 x 250 CV/HP Verado)

NAVIGATION ELECTRONICS

· GARMIN 215 AIS VHF