

GRAND TRAULER

General Equipment list - North America

GENERAL SPECIFICATIONS_____

 Overall Length (L.O.A)*: 	18,95 m	62'2"
Hull length:	16,47 m	54'½"
Overall width:	5,45 m	17'10½"
 Hull Beam: 	5,41 m	17'9''
 Light displacement (EC): 	28 500 kg	61,729 lbs
Air draft:	آ ۔	
- max	7,34 m	24'1"
without T-Top	5,12 m	16'9½"
Draft (max):	1,4 m	4'7¼"
 Fuel tank capacity: 	2 x 1 935 L	2 x 511 US Gal
 Fresh water capacity: 	840 L	222 US Gal
 Maximum engine power: 	2 x 537 kW -	
	2 x 730 HP	2 x 730 HP
 Max engine certification: 	2 x 537 kW -	
	2 x 730 HP	2 x 730 HP

^{* (}with aft swim platform)

ARCHITECTS / DESIGNERS ______

Naval Architect: MICADDesign: Nauta

EC CERTIFICATION _____


Category B - 16 people







3 cabin layout (standard):



4 cabin layout:







SRAND TRAWLER



General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Gel coat: RAL 9010
- · Composition:
- Sandwich (polyester resin fiberglass balsa core)
- Structural hull counter molding in monolithic laminate (polyester resin fiberglass)
- Molding by infusion
- 15 Opening portholes (incl. 3 in crew/lazerette space)

DECK

- · Gel coat: RAL 9010
- Composition:
- Sandwich (polyester resin fiberglass balsa core)
- Molding by infusionDiamond tip type non-slip surface

DECK EQUIPMENT

- Stainless steel radar stand
- Navigation lightsCourtesy lighting (Catwalks, Steps & Aft transom)

MOORING - ANCHORING GEAR

- Stainless steel bowsprit
- Electric windlass (24 V 2 300 W)
- Windlass remote control in the chain locker + windlass control from the helm position in the wheelhouse and on the flybridge Anchor locker, 2 lockers for fenders on forward deck, mooring lines lockers
- · 2 Forward cleats, 4 central and 4 aft in stainless steel

SAFETY ON DECK

- Stainless steel pulpits
- Stainless steel pulpit surrounding all flybridge
- Stainless steel handrails for access to catwalk steps
- · 1 Hand rail on rear table

FOREDECK

- Fender stowage to port and starboard
- Chain locker to port and starboard
- · Position for seat and sun deck

FI YBRIDGE

- Grey tinted windscreen in PMMA
- Access panel to interior and exterior flybridge stairs
- Steering station including: MAN 5.5" screens for 2 engines, engine controls, steering compass, tiller angle indicator, autopilot, helm, fuel gauge, 12 V
- Space for 3 multifunction 16" screens
- Operating controls: windlass, lighting, navigation lights, bilge pumps
- 2 Speakers

- 2 Speakers
 1 Adjustable pilot seat, with cover
 2 Cup holders & Storage
 Position for sun deck in front of steering station with 2 cup holder
- L-shaped bench seat to port
- U-shaped bench seat for 8 people to port
- Folding solid natural wood table with 4 built-in cup holders

 Exterior galley: corian work top, with 5 built-in cup holders, space for an electric grill (optional), stowage, bin
- LED courtesy lighting
 PVC Marlin Brilliant White upholstery, Open cell foam

COCKPIT

- Access via doors (to port and starboard)
- Lockers with stowage (to port and starboard)
- Gangway doors (to port and starboard)
- PMMA catwalk doors, painted grey (to port and starboard)
 Access hatch to large stowage locker (standard) or skipper cabin (optional) to the aft port side
- Second access hatch to large stowage locker (standard) or skipper cabin (optional) in the cockpit
- Cockpit shower (with hot/cold water mixer tap)
- Flybridge access ladder, with solid wood treads
- Rétractable ladder in swimming platform with solid wood steps and stainless steel handrails
- Swimming platform steps with access hatch to shore power socket and shore freshwater supply Direct and indirect LED lighting
- 2 Speakers



38400 TRAULER

General Equipment list - North America

INTERIOR

Choice of woodwork:

- Alpi walnut (standard):

 Standard Rovere Aleve laminate floors or brushed whitened solid oak floors (Galley, wheelhouse, Steering station, heads)

 Savage Abundance 31 white carpet (Cabins)
- 3 gloss Alpi oak (Option):
 Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, wheelhouse, Steering station, heads)
 Savage Abundance 39 taupe carpet (Cabins)

WHEELHOUSE

Headroom: 2,02 m / 6'71/2"

- Curtain, Aft window door
- Wooden Venetian blinds
- Direct and indirect LED lighting
- Electrical panel
- Wheelhouse side door to port

STEERING STATION

- Direct and indirect LED lighting
- Clear glass windscreen
- Grey tinted glass side windows
- 3 Windscreen wipers with washers
- Defogging system
- Charcoal grey leather adjustable pilot seat, with bolster Side bench seat
- 4 Cup holders & Storage

- Instrument panel with vinyl finish MAN 5.5" screen for 2 engines MAN engine controls and gauges
- Auto pilot
 Steering compass
- Rudder angle indicator
 Operating controls: windscreen wipers, demister, horn, navigation lights, electric windlass
- Glove box
- Space for 3 multifunction 16" screens
 1 12 V Power outlet

WHEELHOUSE (DINING ROOM)

Headroom: 2,02 m / 6'71/2"

- L-shaped bench seat for 5 people to starboard, PVC Marlin Brilliant White upholstery
- 4 Folding chairs (internal and external use), Dedicated stowage beneath starboard bench seat
- Sliding table with hand rail
- Storage locker

SALON

Headroom: 2,02 m / 671/2"

- U-shaped bench seat to port, PVC Marlin Brilliant White upholstery
- Coffee table
- Sideboard to starboard
- Place for 50 TV with pre-wiring FUSION RA210 with 4 speakers
- 110 V Power outlet & USB socket

GALLEY

Headroom: 2,02 m / 6'7½"
• Starboard side door

- Stainless steel sink with mixer tap
- 3 burner induction stove Multi-function microwave oven (40 L / 11 US Gal)
- Exhaust fan
- Corian Rain Cloud countertop Fridge/freezer (255 L / 67.36 US Gal)
- Covered stowage drawer
- Cupboards, drawers, high storwage units and bottle rack Recycling bin with external access
- Position for Dishwasher option
- · 110 V Power outlet

OWNER'S CABIN (AFT) - 3 cabin layout

Headroom: 2,00 m / 6'634"

Full beam cabin

- Double berth (2 m x 1,7 m / 6'634" x 5'7")
- Marine mattress with slatted base
- 2 Bedside tables with drawer
- 2 Hanging cupboards with lighting
- Direct and indirect LED
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 50 TV with pre-wiring Storage cupboards (port and starboard) Storage space under bed
- Desk or dressing table
- 1 Seating110 V Power outlet & USB socket

OWNER'S HEAD COMPARTMENT

Headroom: 2.00 m / 6'63/4'

- Electric toilet Tecma
- · Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Mixer tap with shower head and rainfall shower fitting
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 110 V Power outlet
- Hull window with opening porthole
- Towel rail and hooks

VIP CABIN (FORWARD)

Headroom: 1,99 m / 6'61/4

- Double berth (2 m x 1,55 m / 6'634" x 5'1")
- Marine mattress with slatted base
- 2 Bedside tables
- 1 Hanging locker with lighting Direct and indirect LED
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 32 TV with pre-wiring
- Storage cupboards
- Storage space under bed 110 V Power outlet & USB socket

VIP HEAD COMPARTMENT

Headroom: 1.96 m / 6'51/4'

- Electric toilet Tecma + shared rigid holding tank (170 L / 45 US Gal)
- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Shower with mixer tap
 Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity) 110 V Power outlet
- Hull window with opening porthole + 1 Opening porthole Towel rail and hooks



コススの TRAULE



General Equipment list - North America

GUEST CABIN

Headroom: 2,02 m / 6'71/2"

- 2 Single beds convertible into double beds (1,96 m x 0,75 m / 6'5'4" x 2'5'½")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Direct and indirect LED
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 110 V Power outlet & USB socket

GUEST HEAD COMPARTMENT

Headroom: 2.02 m / 6'71/2"

- Electric toilet Tecma
- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Shower with mixer tap
 Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 110 V Power outlet
- Hull window with built-in opening porthole
- · Towel rail and hooks

AFT STOWAGE

Headroom: 1,78 m / 5'10"

(1,92 m / 6'31/2" in the shower compartment)

- Laminate floor
- Cupboards and door to create dedicated stowage spaces
- Opening portholes
- Access door to the engine compartment

ENGINE

SHAFT PROPULSION

- MAN i6-730 2 x 730 HP Diesel (2 x 537 kW)
- Fuel filter with decanter
- Sea water filter
- Air intakes on the hull for cooling the engine compartment
- Hot air extraction forced by electric ventilators
- Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (wheelhouse)
- 2 Stainless steel fuel tanks with capacity of 1 935 L/511 US Gal each

STEERING SYSTEM

- Electric-hydraulic steering
- 2 stainless steel rudder blades
- Bow thruster (300 kgf)
- Lenco Flaps

MAN DETAILS

- Trip computer
- Cruise control
- · Single lever

ELECTRICITY

- 24 V 110 V Electrical panel
- 24 V 110 V Electrical parier
 4 AGM engine batteries (12 V 140 Amp)
 4 AGM bow thruster and electric windlass batteries (12 V 100 Amp)
 6 service batteries (12 V 140 Amp) AGM optional extra

- Radio-controlled wireless switches (without battery)
 115 V 50 Hz 63 Ah shore power socket with 15 m cable (or 2 110 V/60 Hz shore power sockets, depending on country)
 3 Bilge pumps: 2 Electric bilge pumps + 1 manual
 1 Extinguisher
- 1 Extinguisher
- Load balancer

- Load balancer
 Battery charger: 24 V 2 x 40 Amp
 110V Sockets: Salon, Galley, heads, Cabins
 USB sockets: Salon, Galley, heads, Cabins
 12V Sockets: Steering stations (wheelhouse & Flybridge)
 Direct and indirect LED lighting (inside and out)

PLUMBING

- 3 2 x 320 + 1 x 200 L / 2 x 85 + 1 x 53 US Gal Rotomolded water tanks (total = 840 L / 222 US Gal)
- Stainless steel water fill
- Water pump for pressurizing hot/cold water system
- 80 L/21 US Gal water heater
 170 L/45 US Gal black water tank
- Grey water tank (45 L/12.9 US Gal) with sea discharge valves Owner cabin and head, Galley
 Grey water tank (45 L/12.9 US Gal) with sea discharge valves VIP and
- guest cabins and heads

SMART BOARD

- "SEANAPPS" smart technology:

 For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile applicatio.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

Smoke detector



SRAND TRAULER

General Equipment list - North America

TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	CONFORT	LOUNGE
Flybridge T-top with lighting			
Ship control with web server		•	
 4,5 kVA Generator (50 Hz) or 7,5 kVA Generator (60 Hz) 		-	-
 Drawer refrigerator on flybridge (65 L / 17 US Gal) 	•	•	
2 000 W inverter	•	•	•
 Hydraulic swim platform integrated Dinghy craddle (400 kg / 882 lbs SWL) 		•	
 2 Fresh water deck washing pumps (stern and forward decks) 		•	
Deck searchlight and aft spotlight		•	
 Underwater lights (4 on aft transom) Electric grill with stainless steel cover on flybridge 			:
 Ice maker on flybridge Drawer refrigerator in salon (95 L / 25 US Gal) 			•
• Dishwasher for 9 sets			

PACKS_

LUXE PACK

- · Leather finish on the furniture (Cabins & wheelhouse)
- Leather finish on the doors (Cabins)
- Louvred doors for hanging lockers (Cabins)
 Padded bed headboard (Owner and VIP cabins)
- · Sliding door for access to galley
- Luxe reading lights (Owner and VIP cabins)

ELECTRONIC PACK

- 2 Raymarine 12" multi-function screens in wheelhouse
 2 Raymarine 12" multi-function screens on flybridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (wheelhouse & Flybridge)
- Raymarine AIS
- · Raymarine aft camera

ELECTRONIC UPGRADED PACK

- 3 Raymarine 16" multi-function screens in wheelhouse
- 3 Raymarine 16" multi-function screens on flybridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (wheelhouse & Flybridge)
- Raymarine AIS
- Raymarine aft camera
- · Raymarine engine compartment camera

ENTERTAINMENT PACK Salon & Exterior

- TV system on riser for TV up to 50"
 Fusion Apollo MS-RA770 + 4 Premium speakers and subwoofer

- 2 Premium speakers (Aft cockpit)
 2 Premium speakers (Deck forward)
 Fusion Apollo MS-RA770 + 2 Premium speakers (Flybridge)

ENTERTAINMENT PACK Owner's cabin - 3 cabin layout

• Owner's cabin (3 cabin layout): Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 50" TV

ENTERTAINMENT PACK Aft cabins - 4 cabin layout

• Port and starboard aft cabins (4 cabin layout): Fusion Apollo MS-RA770 + 2 Premium speakers

ENTERTAINMENT PACK VIP cabin

• VIP cabin: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV



TRAULE ころんりょ



General Equipment list - North America

AMBIANT

Alpi walnut standard version

- Standard Rovere Aleve laminate floors or brushed whitened solid oak floors (Galley, wheelhouse, Steering station, heads)
- Savage Abundance 31 white carpet (Cabins)

3 gloss Alpi oak optional version

- Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, wheelhouse, Steering station, heads)
- Savage Abundance 39 taupe carpet (Cabins)
- · Rain Cloud corian on the work top (Galley, heads)
- Anthracite grey leather pilot seat
- Standard interior upholstery (wheelhouse, Steering station): PVC Marlin Brillant White
- Optional internal upholstery (wheelhouse, Steering station):
- Crevin Noah 52
- Bolt greige 06
- Ronaldo 13

- Ronaldo 13
 Foglizzo duke 15 (Leather)
 Foglizzo duke 02 (Leather)
 Foglizzo duke 45 (Leather)
 Foglizzo lugano 13 (Nubuck)
 Foglizzo lugano 14 (Nubuck)
 Standard external upholstery: PVC Marlin Brillant White
 Optional external upholstery: Dolce 51

OPTIONAL LAYOUT VERSIONS___

4 CABIN LAYOUT_

Two guest cabins in place of the owner's cabin. The VIP cabin becomes the owner's cabin.

AFT PORT SIDE GUEST CABIN

Headroom: 2,00 m / 6'63/4"

- 2 Single beds convertible into double beds (2,00 m x 0,75 m / 6'634" x 2'5½")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Direct and indirect LED
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 110 V Power outlet & USB socket

AFT STARBOARD GUEST CABIN

Headroom: 2,00 m / 6'63/4"

- 2 Single beds convertible into double beds (2,00 m x 0,75 m / $6'634'' \times 2'512''$)
- Marine mattresses
- Bedhead
- · Hanging locker with lighting
- Direct and indirect LED
- · Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 110 V Power outlet & USB socket

FACE-TO-FACE SEATS IN SALON_

· 2 person bench seat replacing starboard furniture (Upholstery depending on version)

SKIPPER'S CABIN (accessible from the bathing platform)

Headroom: 1,78 m / 5'10"

- 2 Single berths (1,97 m x 0,7 m / 6'5½" x 2'3½")
- Marine mattresses
- · Bedside table with storage cupboard
- Hanging locker
- Reading light, Direct LED lighting
 Opening porthole with white curtain
 Stowage below lower bed
 110 V Power outlet & USB socket

SKIPPER CABIN HEAD/STOWAGE ____

Headroom: 1,78 m / 5'10"

- Electric toilet Tecma
- · Rain Cloud corian work top with sink and mixer tap
- · Mirror and storage space
- 110 V Power outlet

SKIPPER CABIN SHOWER/STOWAGE ___

- Shower with mixer tap
- Manual starting of the electric water drainage pump 8 L/2 US Gal grey water with sensor for automatic drainage
- Opening porthole



SRAND TRAULER

General Equipment list - North America

OPTIONS

INTERIOR OPTIONS

AMBIANT

- · Brushed whitened solid oak floors
- Luxe lighting 3 cabin layout
 Luxe lighting 4 cabin layout

- · Wine cellar 23 bottles
- Drawer refrigerator (95 L / 25 US Gal)
 Carpet in wheelhouse:
- Savage Abundance 31 white carpet (Alpi walnut standard version)
 Savage Abundance 39 taupe carpet (3 gloss Alpi oak optional version)

- · Enclosed galley with windows and serving hatch
- · Dishwasher for 9 sets

DINING ROOM

12 person tableware service (crockery, place settings, glasses)

MAIN STEERING STATION

- MAN Joystick + slow speed trolling valve
- Stern thruster (300 kgf)
- Additional pilot seat in steering station
- LENCO flaps with automatic auto-glide management system
- · Ship control with web server

OWNER'S CABIN (AFT)

Safe

VIP CABIN (FORWARD)

ENTERTAINMENT Pack: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV

4 CABIN LAYOUT

Fusion audio system for the 2 aft guest cabins

HEADS (except skipper cabin)

Tecma toilets with bidet function

AFT STOWAGE

- · Washer / dryer
- Tender inflator
- · MAN spares kit: Oil filters, Air filter, Cooling pump, Belt

ENGINE COMPARTMENT

- 6 AGM service batteries (12 V 140 Amp) to replace standard batteries
- Automatic fire suppression system
- 2 000 W inverter
- Generator ONAN (21,5 KVA)

COMFORT

- Reversible 72 K BTU Mediterranean air conditioning Reversible 96 K BTU Tropical air conditioning
- 6 K BTU skipper cabin air conditioning 23 kW heating
- Heating Skipper's cabin
- Mosquito nets for aft bay and side doors
 Mosquito nets on the lower deck
 SEAKEEPER SK18 stabiliser

PLUMBING

- 95LPH Water maker
- Additional grey water tank (320 L / 84.5 US Gal)
- 8 L/2 US Gal grey water tank with sea discharge valves for head and washer dryer



SRAND TRAULER

General Equipment list - North America

EXTERIOR OPTIONS

HULL

- Hull paint
- Underwater lights (4 on aft transom)

- Delta anchor 50 kg, 100m chains (14 mm diameter), 8 Fenders, 4 Inflatable fenders & 8 Moorings lines (22 mm diameter)
- Forward deck seat and sun deck with adjustable backrests, with cover
- Forward towing winch and electric winches to port and starboard
- L-shaped cockpit bench seat and cockpit table, with cover
- 3rd steering station in the cockpit
- Hydraulic bathing platform with solid wood access steps and built-in tender struts (400 kg / 882 lbs SWL)
- Retractable telescopic gangway (3,2 m / 10'6")

 2 Fresh water deck washing pumps (stern and forward decks)

 115 V/60 Hz air conditioning shore power socket
- 115 V/60 Hz air conditioning shore power socket System Cablemaster
- Full aff cockpit closing
 Black sunworker curtains for windscreens and side windows

FLYBRIDGE

- Additional pilot seat, with cover Flybridge crane (400 kg / 882 lbs SWL) Flybridge T-top with lighting Electrif soft top roof for flybridge T-top Aft flybridge sun awning Sunworker roll-up side shades in flybridge Covers for cushions, table and steering console Sun deck forward of flybridge, with cover 6 Solar panels for the T-top

- 6 Solar panels for the T-top Metallic grey paint for the T-top
- Raymarine radome radar
- Raymarine Open scanner radar
- Raymarine ClearCruise (augmented reality)
- Raymarine Wind vane anenometer
- 2 Domes for satellite antennae with pre-wiring as standard (coaxial satellite cable for TV to starboard)
- · Deck searchlight and aft spotlight
- Ice maker
- Drawer refrigerator (65 L / 17 US Gal)
- Electric grill with stainless steel cover