



GENERAL SPECIFICATIONS **

| | | |
|--------------------------------|------------|------------|
| • Overall Length (L.O.A) *: | 14,74 m | 48'4" |
| • Hull length: | 12,77 m | 41'11" |
| • Overall width: | 4,5 m | 14'9" |
| • Hull Beam: | 4,42 m | 14'6" |
| • Light displacement (EC): | 12 200 kg | 27,896 lbs |
| • Air draft: | 5,79 m | 19' |
| • Draft (including propeller): | 1,15 m | 3'10" |
| • Fuel tank: | 1 930 L | 510 US Gal |
| • Water tank: | 640 L | 169 US Gal |
| • Holding tank: | 170 L | 45 US Gal |
| • Grey water tank (Option): | 320 L | 85 US Gal |
| • Engine power: | | |
| - standard | 2 x 380 HP | 2 x 380 HP |
| - Option | 2 x 425 HP | 2 x 425 HP |

* (with aft swim platform + Anchor in position)

ARCHITECTS / DESIGNERS

- Naval Architect: MICAD
- Design: Andreani Design

EC CERTIFICATION **

- Category B: 14 people
- Category C & D: 16 people

sea@apps

CONNECT YOUR BOAT FREE YOUR MIND

** Provisional specifications, boat in process of certification.



STANDARD EQUIPMENT

CONSTRUCTION

HULL

Composition:

- Sandwich (Polyester resin infusion - fiberglass)
- White gelcoat 9010
- Structural hull counter molding in monolithic laminate (Polyester resin infusion - fiberglass)

Profile:

- Semi-planing hull

DECK

Composition:

- Sandwich (Polyester resin infusion - fiberglass / balsa core)
- Structural counter molding in monolithic laminate (polyester resin - fiberglass)
- White gelcoat 9010
- Diamond tip type non-slip surface

AMBIANT

- Alpi teak woodwork
- Teak deck, black joints
- Marlin Brilliant White PVC interior upholstery
- Anthracite pilot seat
- Marlin Brilliant White PVC Exterior upholstery

DECK EQUIPMENT

Gangway door to starboard

MOORING - ANCHORING GEAR

- Double stainless steel bow fitting
- 2 000 W Vertical electric windlass, up / down and remote control from the windlass, wheelhouse and flybridge
- 10 Aluminum mooring cleats (L 400 mm / 15 - 3/4")
- Stainless steel gunwale guards
- 2 Compartments equipped with self-bailers and polyester hoods

SAFETY ON DECK

- Stainless steel pulpit, open and surrounding cockpit up to steps
- Leather covered stainless steel handrails, in the cockpit

COCKPIT

- Self-bailing cockpit
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas cylinder locker integrated into the cockpit aft bench
- Cockpit shower hot/cold water
- Double port cockpit access door
- Swim platform with stringer and battens in natural teak (4 x 1,4 m / 13'1" x 4'7")
- Ergonomic bathing ladder with hand holds in the swim platform
- 1 PMMA access door at the starboard side deck from the cockpit
- Emergency ladder

FLYBRIDGE

- Flying bridge self-bailing
- Retractable stainless steel staircase with double flybridge access ramp with teak steps
- Grey tinted windscreen in PMMA
- Access by polyester hatch
- Stainless steel pulpit surrounding aft of flybridge
- Polyester mast for mounting navigation lights, radar and aerials
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- USB socket
- 1 Adjustable pilot seat and 3 places for co-pilot with convertible backrest
- Flybridge lounge, composed of * 1 bench seats in L shape with built-in storage and an extendable teak table
- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates



INTERIOR

SALON

Headroom: 1,97 m / 6'5"

- Raised U-shaped dinette convertible to double berth (2,4 x 1,32 m / 7'10" x 4'4")
- Dividing rail and curtains for berth
- Roman blinds with opening window
- Adjustable height, varnished wood dining table
- Sideboard unit with shelved cupboards and winerack
- Sliding door aft 3 panel with black lacquered aluminium frame
- Leatherette sheathed stainless steel handrail in cockpit deckhead
- FUSION RA210 player with 2 speakers in the wheelhouse, 2 speakers in the cockpit and 2 flybridge speakers

GALLEY

Headroom: 1,97 m / 6'5"

L-shaped kitchen

- Full height Fridge/Freezer 255 L/67 US Gal
- Corian countertop
- Large stainless steel sink with cold/hot water mixer
- Gas oven
- 3-burner hob with protective glass cover
- Overhead lockers
- Cutlery drawer
- Magic corner stowage, cupboards and drawers
- Double waste bin
- 110 V Power outlet

STEERING STATION

- Clear glass windscreen with black lacquered aluminum frames
- Anti-reflective coating
- 3 Synchronized windscreen wipers
- Windscreen washer
- Defogger
- Side windows with black lacquered aluminum frames
- Dashboard with place for navigation electronics
- Oddments spaces and storage on port side
- Engine dials: Rev counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Remote control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- Cup holder
- Pilot seat with flip up bolster, fully adjustable leg with flip up footrest
- Sliding side door with direct access to sidedeck

OWNER'S CABIN (FORWARD)

Headroom: 1,96 m / 6'5"

- Double berth (1,99 x 1,60 m / 6'6" x 5'3")
- Storage under berth
- Storage each side of bed
- Large mirror
- 1 Hanging locker with lighting
- 1 Cupboard with shelves
- 1 Opening deck hatch with fitted mosquito screen/blind
- 2 Hull windows with opening portholes and blackout blind

HEAD (OWNER'S CABIN)

Headroom: 1,96 m / 6'5"

Separate shower compartment with seat and hull porthole

Deck hatch with mosquito screen/blind

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight

VIP CABIN (PORTSIDE)

Headroom: 1,92 m / 6'3½"

- 2 Single beds (1,98 x 0,7 m / 6'6" x 27½")
In-fill cushions to make up double berth
- En-suite door to day head
- Bedside table
- Large mirror
- Wardrobe
- Cupboard units
- Storage under berth
- 3 Shelving unit
- Hull window with opening porthole and blackout blind

THIRD CABIN (STARBOARD)

Headroom: 2,01 m / 6'7"

- Double berth (1,94 x 1,40 m / 6'4½" x 4'7")
- Bedside shelf
- Wardrobe
- Storage under berth
- Opening hull portholes with curtains

DAY HEAD (PORT SIDE)

Headroom: 1,93 m / 6'4"

- Mirror
- Top and bottom cupboard
- Electric toilet flushing with fresh water and salt water
- Oval washbasin
- Separate shower compartment with seat and hull porthole
- Deck hatch with mosquito screen/blind
- 1 Opening deck hatch with fitted mosquito screen/blind
- 1 Hull portlight



ENGINE

- Shaft propulsion
- Four-blade propellers
- Cummins QSB 6,7L engine 2 x 380HP (2 x 279Kw)
- Fuel filters
- Sea water filters
- Engine room soundproofed with high density foam (40mm thick)
- Air intake for cooling the engine compartment on the port hull plating
- 1 Extinguisher
- Double fuel tank filling cap
- 2 Aluminum fuel tanks (Capacity = 2 x 965 L / 2 x 255 US Gal) inter-connected and pre-fitted for FPS (Fuel Polishing System) connection system

- Steering system:
 - 2 Rudders stainless steel
 - Hydraulic steering
 - Electric trim tabs

ELECTRICITY

- Electrical panel (12 V / 110 V)
- Shore power socket (110 V)
- 12 110V Sockets: 2 in the salon, 2 in galley, 2 in owner's cabin, 1 in the VIP cabin, 1 in the 3rd cabin, 1 in the owner head, 1 in the 2nd head), + 2 for TV (Salon + Owner's cabin)
- 12 USB sockets: 2 in the salon, 2 in steering station, 4 in owner's cabin, 2 in the VIP cabin, 2 in the 3rd cabin
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 4 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 1 12 V Power outlet
- Outside and inside lighting (Overhead lights, Reading lights)
- LED indirect lighting
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)

PLUMBING

- 1 Manual bilge pump (Cockpit)
- 2 Automatic electric bilge pumps
- Water unit for pressurizing the hot / cold water circuit with accumulator tank
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2 x 85 US Gal)
- Drainage outlet for black water holding tank

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile applicatio.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seanapps

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

Smoke detector



TRIM LEVEL & PACKS

TRIM LEVEL

| | ESSENTIAL | CONFORT |
|---|---|---|
| <ul style="list-style-type: none"> • Bow thruster (170 kgf) • 10 Cup holders • Pump for deck washing • AMS Web server (Ship control) • Pre-wiring for heating • Air conditioning pre-arrangement • 2 Additional service batteries (140 A) • Inverter (2 KVA) • 2 9" Raymarine interior screens • 2 9" Raymarine exterior screens • Auto pilot • Raymarine VHF | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ | <ul style="list-style-type: none"> ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ ▪ |
| <ul style="list-style-type: none"> • Shore freshwater supply • Double station deck searchlight • 40 L refrigerator, on flybridge | | <ul style="list-style-type: none"> ▪ ▪ ▪ |

PACKS

ELECTRONIC PACK

- 2 12" Raymarine interior screens
- 2 12" Raymarine exterior screens
- AIS receiver system

AIR CONDITIONING AND GENERATOR

- Generator (7,5 KVA - 110 V / 50 Hz) + COCON
- Air conditioning (48 000 BTU) Mediterranean & Tropical:
 - Owner's cabin: 1x8 kBTU
 - Aft cabins: 1x8 kBTU
 - wheelhouse: 2x16 kBTU

OPTIONS

AMBIANT

- Teak plain doors (standard)
- Teak doors with teak slats & infill panel
- Teak doors with crème slats & infill panel
- Oak plain doors
- Oak doors with oak slats & infill panel
- Oak doors with crème slats & infill panel
- Oak stripe version & Brown oak laminated floors
- African Spirit Grey carpet (wheelhouse + Salon)
- Dune Berber carpet (Cabins + passageway)
- Infinity Zah Factor cream carpet (Cockpit)
- Bolt Greige 06 fabric interior upholstery
- Crevin Noah 52 fabric interior upholstery
- Foglizzo leather interior upholstery (DUKE15 -DUKE17-DUKE45)
- Foglizzo nubuck interior upholstery (LUGA10 & LUGA13)
- Marlin Brilliant White PVC cockpit seat
- Confort - Dolce 51 PVC cockpit seat
- Confort - Dolce 51 external upholstery, with bolster seat on flybridge
- Marlin Brilliant White PVC fore sun deck
- Confort - Dolce 51 PVC fore sun deck
- Pearl Grey hull
- Steel Blue hull



BENETEAU

Swift Trawler 48

General Equipment list - North America

INTERIOR LAYOUT / ONBOARD COMFORT

- 40 L combined microwave oven (replacing gas oven)
- 46 L microwave oven (replacing gas oven)
- Combination washer / dryer
- Dishwasher for 61 sets
- 3 burner induction stove - 220 V (replacing gas stove)
- 2 burner induction stove - 110 V (replacing gas stove)
- 23 bottle wine cooler in end of raised dinette
- Villeroy & Boch cutlery, crockery and illuminated glassware cupboard (8 places settings)
- Electric pedestal folding dinette table with drinks holders and handrail
- Water heating (12 kW)
- Fusion Apollo MS-RA770 + premium loudspeakers, in owner's cabin
- Fusion Apollo MS-RA770 + premium loudspeakers, in the salon, cockpit and flybridge
- Pre-wiring for 24" TV, in owner's cabin
- Pre-wiring for 43" TV, in the salon
- Mosquito screens (Side doors + Aft window door + Portholes)

EXTERIOR OPTIONS

- Complete mooring/anchoring kit:
 - Delta anchor 25 kg
 - Chain (12 mm diameter - Length 85 m)
 - Mooring line (18 mm diameter - Length 20 m)
 - 4 Docklines (18 mm diameter - Length 15 m)
 - 6 Fenders (250 mm diameter - height 700 mm)
- Fore canvas sunshade
- Set of flybridge covers (console + bench seating + table)
- Exterior guards: Oyster or Flanelle
 - Cockpit aft enclosure
 - Flybridge closing
 - Bimini of Flybridge
 - Flybridge dodgers
- Flybridge T-top with sliding soft-top
- Hydraulic gangway (2,72m deployed length)
- Hydraulic swim platform 350kg toy allowance
- Aft platform tender mounting
- 10 Cup holders (4 in the cockpit, 6 in flybridge)
- Black exterior wheelhouse curtains Sunworker in wheelhouse
- 40 L refrigerator in flybridge
- Ice maker, in salon sideboard
- Electric flybridge grill
- Teak on forward flybridge area
- Teak on cockpit and starboard side deck
- Folding cockpit table & 2 chairs
- Demountable bathing ladder on portside
- PVC cockpit seat cushion Marlin Brilliant White
- Cockpit seat cushion Dolce 51

ELECTRICAL SYSTEM

Deck searchlight

WATER SYSTEM

- Water maker 60 L/h / 16 US Gal/hour
- Shore freshwater supply
- Rigid sewage reserve

ENGINE

- Cummins QSB 6,7L engine 2 x 425HP (2 x 279Kw)
- Cummins joystick (Engines & Bow thruster)
- Double station stern thruster (170 kgf)
- 3rd Control joystick
- Automatic fire suppression system
- Cummins spares box

NAVIGATION ELECTRONICS

- Windvane
- Aft camera
- Raymarine Radar
- Raymarine ClearCruise (augmented reality)