

General Equipment list - North America









GENERAL SPECIFICATIONS_____

 Hull length: Overall Length (L.O.A)	9,90 m	32'6"
- standard:	11,08 m	36'4"
- Maximum - with options:	11,16 m	36'7"
 Overall width: 	3,51 m	11'6"
Hull Beam:	3,40 m	11'2"
 Unladen displacement: 	5 215 kg	11,494 lbs
 Light displacement (EC): 	6 148 kg	13,550 lbs
 Air draft 		
- standard:	3,56 m	11'8"
- with options:	4,64 m	15'3"
Maximum draft:	0,75 m	2'6"
 Fuel tank capacity: 	2 x 400 L	2 x106 US Gal
 Fresh water capacity: 	200 L	53 US Gal
 Maximum engine power: 	2 x 220 kW -	
	2 x 300 HP	2 x 300 HP
 Driving shaft length 		
- Twin engine:	XXL 762 mm	30"
		•

ARCHITECTS / DESIGNERS

- Hull development: BENETEAU POWERBOATS
- Designers: SARRAZIN DESIGN

EC CERTIFICATION

- Category B 8 people
 Category C 11 people
 Access to the flying bridge: Category C 5 people





General Equipment list - North America

STANDARD EQUIPMENT

CONSTRUCTION _____

HULL

Composition:

- Sandwich (polyester resin fiberglass balsa core)
- · White gel coat

DFCK

Composition:

- · Sandwich (polyester resin fiberglass balsa core)
- · White gel coat
- · Partial deck counter-mold
- · Grey protection rail on the hull-deck joint
- · Wheelhouse roof in white gel coat

DECK EQUIPMENT

- Navigation lights = 1 all-round light on collapsible samson post
- · Navigation lights (Bicolor)

MOORING - ANCHORING GEAR

- · Bow forestay chain plate
- Self-bailing mooring locker with hatch cover
- Eye bolt to secure mooring
- 2 Foredeck cleats in aluminum, 270 mm / 11"
- 2 Cleats amidships in aluminum, 270 mm / 11"
- 2 Aft cleats in aluminum, 270 mm / 11"

SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- · Asymmetric catwalks
 - Port width: Minimum 15 cm / 6" Maximum 20 cm / 8"
 - Starboard width: Minimum 35 cm / 1'2" Maximum 40 cm / 1'4"
- 2 Stainless steel handrails on wheelhouse uprights
- 2 Stainless steel handrails on wheelhouse hood
- · 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat
- 1 Hand rail below port side seat

COCKPIT

Length: 1,61 m / 5'3" x Beam: 2,26 m / 7'5"

- · Self-bailing cockpit
- 1 Hand rail on the aft starboard platform
- Sliding aft bench seat, 3 place (Upholstery depending on version)
 Seat back converts into sun deck
- Side bench seat with stowage locker and space for cool box
- · Cockpit seat cover
- 1 Large lockable central cockpit locker with gas piston assisted opening
- · Lighting from 3 ceiling lights
- Aluminum fuel tanks (2 x 400 L/2 x 106 US Gal) in sealed and ventilated compartment
- 2 Fuel filler caps on port and starboard freeboards
- Starboard swim access
- · Security door
- Telescopic swim ladder
- Cockpit shower
- Raising side platform with mechanical system as standard (electrical assistance optional) (Length: 1,30 m / 4'3" x Height: 0,70 m / 2'4")
- Base table x 2, for the wheelhouse table

FLYBRIDGE

- · Access ladder with stainless steel uprights and teak steps
- · Polyester trap door
- · Protective rails around the access area

Steering station

- · Pilot console with space for electronics
- · Steering compass
- Rev counter
- · Fuel and engine gauge indicator
- USB socket
- Engine control console (Engine controls and counters supplied with pre-rigging)
- Adjustable pilot seat, matching the exterior upholstery (Upholstery version)
- · Steering wheel stainless steel
- · Grey tinted PMMA wind screen
- Seastar Power Assist hydroelectic steering
- Cup holders x 2

4 person salon

- Removable table to starboard with 2 built-in cup holders, can be converted into a sun deck
- · Storage under seating
- Space for 30 L fridge (optional extra)
- Fixed seat back along the side and front, attached to the pulpit (Upholstery version)
- · Reclining seat back
- Hand rail
- · Sun deck to aft
- Protective cases (Salon + Sun deck + Steering station + Pilot seat)
- · Location for built-in bimini roof (optional extra)
- · Location for radar (optional extra)
- · Location for solar panel (optional extra)



General Equipment list - North America

INTERIOR

- · Salon upholstery to match the exterior upholstery (version)
- · Cabin mattress cushions: Cushy Limestone
- Woodwork Alpi Noyer
- · Brown oak laminated floors Part in polyester

WHEELHOUSE

Headroom: 2,00 m / 6'7"

- · Wheelhouse with one-piece translucent glass windscreen
- Side windows with translucent glass
- In Comfort trim level: opening port side windows
- 4 leaf aft window door in translucent PMMA
- · Black anodized aluminum frame and lock
- 2 Electric windscreen wipers
- · Lighting from 5 ceiling lights

STEERING STATION (TO STARBOARD)

Headroom: 1,93 m / 6'4"

- · Pilot console with space for electronics
- · Steering compass
- Rev counter
- · Fuel and engine gauge indicator
- 12 V Power outlet
- · USB socket
- Engine control console (Engine controls and counters supplied with pre-rigaina)
- Bolster function adjustable pilot seat, matching the external upholstery (version)
- Steering wheel
- · Brown oak foot rests
- Seastar Power Assist hydroelectic steering
- · Guard rail
- · Cup holders
- · Sliding starboard side door

GALLEY (TO STARBOARD)

- · Black laminate galley worktop
- Tinted glass fold-down lid to protect worktop
- · Storage drawer with lacquered titanium door
- Storage cupboard with lacquered titanium doors
- · Stainless steel sink
- Cold water mixer tap under pressure (in trim level: Water heater -
- Fixed 2 ring gas cooker
- 80 L refrigerator
- · Garbage bin
- 2 Cup holders

SALON

Headroom: 1,96 m / 6'5"

- L-shaped salon
 - Optional salon convertible into a berth (walnut table and telescopic base replacing standard polyester table + cushions)
 - Length: 1,95 m / 6'5"
 - Beam: 0,86 m / 2'10" (without seat back cushion: 1,03 m / 3'5")
- Folding polyester salon table
- Copilot seat with swivelling seat back (navigation / salon positions)
- · Glove box, in front of co-driver seat
- · 2 Cup holders, in front of co-driver seat
- · Co-pilot hand rail

COMPANIONWAY

- · Battery switch under the step
- Location for 75 L freezer or additional 80 L fridge (optional extra)
- · Technical locker
- · Storage cupboard

FORWARD CABIN

Headroom: 1,93 m / 6'4"

(under berth: min 0,90 m / 2'11")

- Double berth:
 - Length (max): 2 m / 6'7"
- Beam (max): 1,60 m / 5'3"
- · Storage lockers, Under the bed · Opening deck hatch, in the cabin
- 1 Cupboard with hanging space
- 1 Storage cupboard
- 2 Storage cubbyhole
- optional extra: 2 Port and starboard storage furniture
- · Lighting:
- 4 Overhead lights
- 2 Reading lightsIndirect lighting
- Side glazing
- · Ventilation provided by 2 opening portholes
- Blackout curtains

GUEST CABIN

Headroom: 1,93 m / 6'4'

(under berth: max 0,90 m / 2'11")

- Double bed (1,97 m x 1,52 m / 6'6" x 5')
- 3rd berth (1,73 m x 0,64 m / 5'8" x 2'1")
- Storage lockers
- Lighting:
- 3 Overhead lights
- 2 Reading lights
- 1 Cupboard with hanging space
- · Side glazing
- · Ventilation provided by 2 opening portholes
- Blackout curtains

Headroom: Minimum 1,87 m / 5'8" - Maximum 1,97 m / 6'6"

- · Lighting from 1 ceiling light
- Sink with mixer tap
- Mirror
- 1 Storage cupboard
- 1 Storage furniture with toilet paper holder
- · 3 Storage integrated into the bulkhead
- Towel rail
- 1 Opening porthole
- · Shower separated by translucent door
- Marine toilet
- · 80 L / 21 US Gal Rigid holding tank



General Equipment list - North America

ELECTRICITY

- · 12 V Electrical panel
- 12 V Power outlet
- 3 Bilge pumps: 1 manual 2 electric
- Battery switch located in the companionway
- Installation for engine battery delivered with the pre-rigging (battery not delivered)

PLUMBING

- 200 L / 106 US Gal Rigid water tank
- · Water pump for pressure building

SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile applicatio.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS _

· Smoke detector

VERSION

STANDARD UPHOLSTERY VERSION

- · Marlin Auster unpholstery
 - Pilot seat
 - Interior salon
 - Cockpit sliding bench seat
 - Seat back converts into sun deck
 - L-shaped salon in cockpit
 - Forward sun deck
 - Flybridge salon
 - Flybridge sun deck
 - Flybridge belm seat

ELEGANCE UPHOLSTERY VERSION

- · Silvertex Sterling + Diamante meteor unpholstery
 - Pilot seat
- Interior salon
- Cockpit sliding bench seat
- Seat back converts into sun deck
- L-shaped salon in cockpit
- Forward sun deck with adjustable seat back
- Canopy on forward sun deck
- Flybridge salon
- Flybridge sun deck
- Flybridge helm seat



General Equipment list - North America

TRIM LEVEL & PACKS

TRIM LEVEL _____

	COMFORT
Electric windlass	•
Extended swim platform	•
Bow thruster	
Water heater (25 L - 110 V)	_
Full 110 V electrical circuit + Battery charger	
LED courtesy lighting (Cockpit & Flybridge, wheelhouse & Cabins)	
Port side sliding side window	_

ELECTRONICS PACKS _____

ELECTRONIC PACK

- Multifunction GARMIN 12" GPSMAP 1223 xsv screen (chart not included)
- Multifunction GARMIN 9" GPSMAP 923 XSV screen on flybridge
- GARMIN GT23-TM Sensor

ELECTRONIC - UPGRADED PACK

- Multifunction GARMIN 16" GPSmap 8416 XSV screen (chart not included)
 Multifunction GARMIN 9" GPSmap 922xs Plus screen on flybridge
 GARMIN GT23-TM Sensor

SOUND PACK

- Fusion MS-RA70N
- 2 Exterior speakers (50 W)
 2 Interior speakers (50 W)
- 2 Flybridge speakers (50 W)



General Equipment list - North America

OPTIONS

INTERIOR ACCOMMODATION / ONBOARD COMFORT

- Pre-fitting for 110 V microwave oven
- Ceramic hob (110 V)
- Additional freezer (75 L), on lower deck
- Additional fridge (80 L), on lower deck
- Electric demister
- · Diesel heater "air pulse"
- Reversible air condition at dock (110 V 50 Hz) 12 000 BTU in wheelhouse, 8 000 BTU in forward cabin, 8 000 BTU in aft cabin
- TV antenna
- TV pre-assembly (110 V) in the forward cabin
 TV pre-assembly (110 V) in salon/galley
- Additional berth with walnut table and telescopic leg, in salon
- Upper port side storage cupboard, in wheelhouse
- Upper starboard storage cupboard, in wheelhouse
- · High storage cupboards, in the forward cabin
- · Infinity Luxe cream carpet, in wheelhouse
- · Savage abundance 39 carpet, in cabins + Steps

EXTERIOR OPTIONS

- · Complete mooring/anchoring kit
- · Towing ring
- Horr
- · Stainless steel bow nose without forward swimming ladder
- · Forward ladder for bowsprit
- · Graphite full cockpit closing
- Infinity Luxe Cream cockpit carpet
- Removable cockpit table, in polyester
- Sun deck cover
- · Flying bridge bimini top
- Extension for flybridge bimini roof
- · 30 L drawer fridge on flybridge
- · Infinity Luxe Cream flybridge carpet

ELECTRICAL SYSTEM_

- · Aft anchoring reel
- Electrical assistance system for side platform
- Panda 6,4 kVA 110 V 60 Hz diesel generator
- Solar panels on flybridge (1 x 115 W)
- Deck searchlight
- · Underwater lights x2
- Trumpet horn on flybridge

WATER SYSTEM

- · Fresh water electric toilet
- · Direct fresh water intake from the shore

ENGINE

- Suzuki Digital DTS Throttle Shift keyless pre-rigging (2 x 200-300 HP)
- Yamaha Digital DTS Throttle Shift pre-rigging (2 x 200-300 HP)
- Mercury Digital DTS Throttle Shift pre-rigging (2 x 200-225 HP Verado)
- Mercury Digital DTS Throttle Shift pre-rigging (2 x 250-300 HP Verado)
- Mercury JOYSTICK Digital DTS Throttle Shift pre-rigging (2 x 300 HP Verado)
- LENCO Flaps
- · ZIPWAKE automatic trim system

NAVIGATION ELECTRONICS _

- GARMIN 215 VHF
- · GARMIN Braodband 4G Radar
- · GARMIN aft camera