

Twin-engine version

# **Antares 12**

Provisional Specifications - Europe

GENERAL SPECIFICATIONS *		
Hull length:	12,34m	40'6''
• L.O.A:	12,97m	42'7''
Overall width:	3,78m	12'5"
<ul> <li>Light displacement (with engines)</li> </ul>		
- Twin-engine version:	8 814kg	19,426 lbs
<ul><li>Three-engine version:</li><li>Air draft</li></ul>	9 111kg	20,081 lbs
- standard:	4,40m	14'5''
- with options:	4,90m	16'1''
Maximum draft:	1,10m	3'10"
<ul> <li>Freshwater capacity:</li> </ul>	400L	106 US Gal
<ul> <li>Fuel capacity:</li> </ul>	2 x 587L	2 x155 US Gal
<ul> <li>Maximum engine power:</li> </ul>	900 HP	900 HP

# ARCHITECTS / DESIGNERS

- Hull development: BENETEAUDesigners: SARRAZIN DESIGN

# **EC CERTIFICATION \***

- Category B 10 peopleCategory C 12 people

Three-engine version
T
*



<sup>\*</sup> Provisional specifications, boat in process of certification.



Provisional Specifications - Europe

## STANDARD EQUIPMENT

CONSTRUCTION		

## HULL

### Composition:

- · Sandwich (Polyester resin Glass fiber Balsa core)
- · White gel coat

#### **DECK**

## Composition:

- · Sandwich (Polyester resin Glass fiber Balsa core)
- · White gel coat
- · Partial deck counter-mould
- · Stainless steel guard rail on the hull-deck join
- · Wheelhouse roof in white gel coat

### **DECK EQUIPMENT**

- Navigation lights = 1 All-round light on stainless steel radar mast
- · Navigation lights (Bicolor)

### **MOORING LINES - MOORING**

- · Bow forestay chain plate
- · Self-bailing mooring locker with 2 hood covers
- · Eye bolt to secure mooring
- 2 stainless steel cleats forward 270 mm/11"
- 2 stainless steel cleats amidships 270 mm/11"
- 2 stainless steel cleats aft 270 mm/11"

#### SAFETY ON DECK

- Stainless steel open pulpit surrounding the cockpit up to the cockpit steps
- · Asymmetric catwalks
  - Port width: Minimum 15 cm / 6" Maximum 20 cm / 8"
  - Starboard width: Minimum 35 cm / 1'2" Maximum 40 cm / 1'4"
- 2 Stainless steel handrails on wheelhouse hood
- 2 Stainless steel handrails on cockpit coamings
- 1 Stainless steel hand rail on the cockpit bench seat

### COCKPIT

- · Self-bailing cockpit
- 1 Hand rail on the aft starboard platform
- Fixed aft L-shaped bench seat with stowage
- · Side bench seat with stowage locker
- 1 Large lockable central cockpit locker with gas piston assisted opening
- · Lighting from 4 ceiling lights
- Aluminum fuel tanks (2 x 587 L/2 x 155 US Gal) in sealed and ventilated compartment
- 2 Fuel filler caps on port and starboard freeboards
- · Pull-down step between the 2 platforms
- · Security door
- · Telescopic swimming ladder
- · Cockpit shower
- · Tilting side platform with electrical system

#### **FLYBRIDGE**

- · Access ladder with stainless steel uprights and solid wood steps
- · Polyester trap door
- · Protective rails around the access area

## Steering station

- · Pilot console with space for electronics
- Steering compass
- · Rev counter
- · Fuel and engine gauge indicator
- · USB socket
- · Mercury engine control
- Ajustable driver's seat, matching the exterior upholstery
- Co-pilot seat, seat back converts into sun deck
- · Steering wheel
- · Grey tinted PMMA wind screen
- · Mercury electrical steering
- 4 Cup holders

### 5 person saloon

- Walnut table with handrails and cup holders Fixed stainless steel leg
- Storage under seating
- · U-shaped saloon wrapping around the aft and port sides
- Handrails
- Provision for bimini (optional extra)
- Location for radar (optional extra)



Provisional Specifications - Europe

### INTERIOR

- · Saloon upholstery matching the exterior upholstery
- · Cabin mattress cushions: Cushy Limestone
- · Woodwork Alpi Noyer
- · Brown oak laminated floors

### **WHEELHOUSE**

Headroom: 2,00m / 6'7"

- · Wheelhouse with windscreen with central translucent glass column
- · Side windows with translucent glass
- · 3 panel aft bay window in translucent glass
- Black anodised aluminum frame and lock
- 2 Electric windscreen wipers
- · Direct and indirect lighting LED

## STEERING STATION (TO STARBOARD)

Headroom: 1,93m / 6'4"

- · Pilot console with space for electronics
- · Steering compass
- Rev counter
- · Fuel and engine gauge indicator
- · USB socket
- · Mercury engine control
- · Anthracite grey driver's bench seat, Adjustable Bolster function
- · Leather-covered steering wheel
- · Brown oak foot rests
- · Mercury electrical steering
- Guard rail
- · Cup holders
- · Sliding starboard side door

### **GALLEY (TO STARBOARD)**

- · Light grey laminate galley worktop
- · Storage drawer with lacquered titanium door
- Storage cupboard with lacquered titanium doors
- Upper stowage with lacquered titanium doors
- Stainless steel sink
- Cold water mixer tap under pressure
- Fixed 2 ring gas cooker
- 140L refrigerator
- · Double dustbin
- 2 Cup holders

### **SALOON**

Headroom: 1,96m / 6'5"

- U-shaped saloon Convertible saloon convertible into berth option (walnut table and electric pedestal replacing the standard table + cushions)
- Copilot seat with swivelling seat back (navigation / saloon positions)
- Aft saloon seating with adjustable seat back (saloon/cockpit positions)
- · Battery isolation switch under saloon seating
- Stowage, in front of co-driver seat
- · Copilot hand rail

### **COMPANIONWAY**

· Full-height mirror with lacquered titanium frame

#### **OWNER'S CABIN**

Headroom: 1,90m / 6'3"

Central double berth (Padded headboard):

- Length (max): 1,98m / 6'6"Beam (max): 1,50m / 4'11"
- Padded ceilings
- · Storage lockers, Under the bed
- · Opening deck hatch, in the cabin
- 1 Cupboard with hanging space
- 1 Storage cupboard
- 2 Storage cubbyhole
- 2 Port and starboard upper stowage units with lacquered titanium door
- · Lighting:
  - 2 Overhead lights
  - 2 Reading lights
  - Direct and indirect lighting LED
- Fixed forward window with blackout curtain
- Side windows with Venetian blinds
- Ventilation provided by 2 opening portholes
- 2 USB sockets
- · 2 220V Sockets
- · Direct access door to the head

#### **VIP CABIN**

Headroom: 1,9m / 6'3" Berth headroom: 1,2m / 3'11"

Berth neadroom: 1,2m / 3′11″ • 2 Single beds convertible into double beds (Padded headboard):

- Length (max): 2m / 6'7"
- Beam (max): 1,60m / 5'3"
   1 Cupboard with hanging space
- Storage shelving in the bulkhead
- Lighting:
  - 2 Overhead lights
  - 2 Reading lights
  - Direct and indirect lighting LED
- Side glazing
- · Ventilation provided by one opening porthole
- Blackout curtains
- USB socket
- · 220 V socket
- · Direct access door to the head

## **3RD CABIN**

Headroom: 1,9m / 6'3" Berth headroom: 1m / 3'3"

- · Single bed convertible into double bed (Padded headboard)
- 1 Cupboard with hanging space
- Storage lockers
- Lighting:
  - 2 Overhead lights
  - 1 Reading light
  - LED indirect lighting
- Side glazing
- · Ventilation provided by one opening porthole
- Blackout curtains



Provisional Specifications - Europe

### **OWNER'S HEAD COMPARTMENT**

Headroom: 1,9m / 6'3"

- · Lighting from 3 ceiling lights
- LED indirect lighting
- · Basin with mixer tap
- Mirror
- · 2 High storage
- 1 Storage furniture with toilet paper holder
- Towel rail
- 2 Opening portholes
- Venetian blinds
- · Shower separated by translucent door
- · Electric toilet

### **2ND HEAD**

Headroom: 1,9m / 6'3"

- · Lighting from 3 ceiling lights
- LED indirect lighting
- · Basin with mixer tap
- 2 Upper stowage with mirror
- 1 Storage furniture with toilet paper holder
- Towel rail
- · Side window
- 2 Opening portholes
- Venetian blinds
- · Shower separated by translucent door
- · Electric toilet

## **ELECTRICITY**

- 12 V Electrical panel
- USB socket in each cabin
- 3 Bilge pumps: 1 Manual pump 2 Electric pumps
- · Battery isolation switch under saloon seating
- · Pre-fitting for services and engine battery (batteries not delivered)

## PLUMBING

- 400 L / 106 US Gal Rigid water tank
- · Water pump for pressure building

# SMART BOARD

"SEANAPPS" smart technology:

- For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.



CONNECT YOUR BOAT FREE YOUR MIND

## MISCELLANEOUS ITEMS \_\_\_\_\_

Smoke detector



Provisional Specifications - Europe

## **TRIM LEVEL & PACKS**

## **CONFORT TRIM LEVEL**

- · Windlass control and chain meter at steering station
- · Direct fresh water intake from the shore
- Protective covers, outside upholsteries (Flybridge & Aft cockpit)
- Indirect LED interior lighting
- 144 L 2 drawer stainless steel fridge, in lieu of standard
- Lenco electric trim tabs with dual controls (Wheelhouse & Flybridge)
- · Wheelhouse port side sliding window

# **ELECTRONICS PACKS** \_\_\_\_

## **ELECTRONIC PACK**

- Garmin 12" GPSMAP 1223 xsv Multifunction screen (chart not included) in wheelhouse
   Garmin 12" GPSMAP 1223 xsv Multifunction screen (chart not included) on flybridge
- Garmin GT23-TH Sensor
- Garmin 315i AIS VHF (IW / 25W)

## **ELECTRONIC - UPGRADED PACK**

- 2 Garmin 12" GPSMAP 1223 Multifunction screens(1 1223 xsv screen + 1 1223 screen) in wheelhouse (chart not included)
- Garmin 12" GPSMAP 1223 xsv Multifunction screen on flybridge
- · Garmin GT23-TH Sensor
- Garmin 315i AIS VHF (IW / 25W)

### **SOUND PACK**

- Fusion MS-RA210
- · 6 Loud speakers:
  - 2 Interior speakers
  - 2 Exterior speakers (Aft cockpit)
  - 2 Flybridge speakers

## **SOUND UPGRADED PACK**

- Fusion MS-RA670
- 8 Loud speakers + Amplifier:
  - 2 Premium internal speakers
  - 2 Premium external speakers (Aft cockpit + Subwoofer)
  - 2 Premium external speakers (Forward sun deck)
  - 2 Premium speakers on the flybridge



Provisional Specifications - Europe

## **OPTIONS**

## INTERIOR ACCOMMODATION / ONBOARD COMFORT

- · Combined 220 microwave oven and grill
- 220 V ceramic hob (replacing gas stove)
- · Additional fridge (80L), in the 3rd cabin
- Additional freezer (75L), in the 3rd cabin
- · Electric demister
- · Forced air heating fuel
- Reversible air condition at dock (220V 60Hz 36 000 BTU)
- 24" TV pre-fittings (220V), in the forward cabin
- Retractable 43" TV pre-fittings (220V), in saloon/galley
- TV Antenna
- · Additional berth with electric pedestal, in the saloon
- Dedicated storage cupboard + Villeroy & Boch 6 person kit (glasses + plates)
- · Infinity Luxe cream carpet, in wheelhouse
- · Savage abundance 39 carpet, in cabins + Steps
- · Mosquito nets for opening portholes

## **EXTERIOR OPTIONS**

- · Complete mooring kit
- · Graphite full cockpit closing
- · Infinity Luxe Cream cockpit carpet
- · Infinity Luxe Cream flybridge carpet
- Forward sun deck upholstery + Cover
- · Forward Sunworker black sundeck sunshade
- Teak cockpit, aft platforms, forward deck and starboard side deck
- · Removable solid wood cockpit table, convertible into sundeck + cover
- · Removable polyester cockpit table
- · Flybridge bimini top
- Outside kitchen on the flybridge (Polyester furniture + 42L refrigerator + Electric grill + Cover)
- Hydraulic gangway
- Removable swimming ladder for side platform and bulwark door
- Sunworker black exterior window curtains (Side glazing + Windscreen)
- Pearl grey hull

## **ELECTRICAL SYSTEM**\_\_\_

- 2 000 W inverter
- Fischer Panda diesel generator (9 KVA 220V 60Hz)
- · Deck searchlight
- Underwater lights (x2)
- Aft lighting (x2), in the hard-top

## WATER SYSTEM

- · Deck and sea drainage grey water tank
- · Deck only drainage grey water tank
- · Sea water rinsing pump, in the anchor well

# **ENGINE**

- 2 Mercury 400 HP V10 white engines + skyhook
- 3 Mercury 300 HP V8 white engines + skyhook
- · Zipwake automatic trim system
- Bow thruster with dual controls (Flybridge & Wheelhouse)
- Seakeeper SK3 gyroscopic stabiliser

# NAVIGATION ELECTRONICS \_\_

- Garmin Fantom 18x Radar
- Garmin aft camera